


# Sunnex SP



Sunnex SP is a series of damping pads developed for a wide area of industrial applications to reduce adverse effects of shocks and vibrations, prevent noise transference and to prevent “wandering” machines.

All pads in the Sunnex SP series are made from a specially produced nitrile rubber compound which is resistant to most types of grease, acid, oil and cooling emulsion normally used in industry.

Sunnex SP is available in five different models, each of which has its own specific hardness and load bearing capability.

## Preferences

- Loads up to 20 kg/cm<sup>2</sup>
- Special Nitrile rubber mixture
- Five different options
- 450 x 450 mm
- Easy to adjust size on-site

## Applications

- Manufacturing industry
- Process industry
- Press- & stamping machines
- Extrusion machines
- Light to heavy duty machines

## Advantages

- Excellent anti-vibration
- Excellent friction to surface
- Easy installation
- Reduction of noise

## Technical specification SP


Rubber: Special Nitrile rubber mixture

Load capacity: 0,5 - 20 kg/cm<sup>2</sup>

Height, H: 8-13 mm

Length, L: 450 mm

Width, B: 450 mm



Model	Load range daN/cm <sup>2</sup>	Color	Thickness mm	Part no.
<b>SP 710</b>	0,5–1,75	Black	8	<b>10710</b>
<b>SP 711</b>	1,0–4,0	Black	8	<b>10711</b>
<b>SP 712</b>	1,0–8,0	Black	8	<b>10712</b>
<b>SP 713</b>	2,0–15,0	Black	13	<b>10713</b>
<b>SP 714</b>	8,0–20,0	Green	13	<b>10714</b>